


6x36 Warrington Seal
with Fiber Core



6x36 Warrington Seal
with IWRC

Size Rope Dia.	Fiber Core (IPS)		IWRC (EIPS)	
	Approx. Weight per Foot in Pounds	Breaking Strength in Pounds	Approx. Weight per Foot in Pounds	Breaking Strength in Pounds
1/4"	.105	4,940	.116	6,120
5/16"	.164	7,660	.18	9,480
3/8"	.236	10,980	.26	13,600
7/16"	.32	14,880	.35	18,360
1/2"	.42	19,260	.46	24,000
9/16"	.53	24,300	.59	30,200
5/8"	.66	30,000	.72	37,000
3/4"	.95	42,800	1.04	53,000
7/8"	1.29	48,000	1.42	71,600
1"	1.68	75,200	1.85	93,000
1.1/8"	2.13	94,600	2.34	117,000
1.1/4"	2.63	116,200	2.89	143,800
1.3/8"	3.18	139,800	3.50	172,800
1.1/2"	3.78	165,600	4.16	206,000
1.5/8"	4.44	192,600	4.88	238,000
1.3/4"	5.15	224,000	5.67	276,000
2"	6.72	288,000	7.39	314,000
2.1/4"	8.51	360,000	9.36	444,000
2.1/2"	10.50	440,000	11.6	544,000
2.3/4"	12.70	526,000	14.0	650,000
3"	15.10	616,000	16.60	765,000