


6x36 Warrington Seale
with Fiber Core



6x36 Warrington Seale
with IWRC

Size Rope Dia.	Fiber Core (IPS)		IWRC (EIPS)	
	Approx. Weight per Foot in Pounds	Breaking Strength in Pounds	Approx. Weight per Foot in Pounds	Breaking Strength in Pounds
1/4"	.105	5,480	.116	6,800
5/16"	.164	8,520	.18	10,540
3/8"	.236	12,200	.26	15,100
7/16"	.32	16,540	.35	20,400
1/2"	.42	21,400	.46	26,600
9/16"	.53	27,000	.59	33,600
5/8"	.66	33,400	.72	41,200
3/4"	.95	47,600	1.04	58,800
7/8"	1.29	64,400	1.42	79,600
1"	1.68	83,600	1.85	103,400
1.1/8"	2.13	105,200	2.34	130,000
1.1/4"	2.63	129,200	2.89	159,800
1.3/8"	3.18	155,400	3.50	192,000
1.1/2"	3.78	184,000	4.16	228,000
1.5/8"	4.44	214,000	4.88	264,000
1.3/4"	5.15	248,000	5.67	306,000
2"	6.72	320,000	7.39	348,000
2.1/4"	8.51	400,000	9.36	494,000
2.1/2"	10.50	488,000	11.6	604,000
2.3/4"	12.70	584,000	14.0	722,000
3"	15.10	685,000	16.6	850,000